

Printing Laser Printers imageCLASS LBP223dw

imageCLASS LBP223dw





Print **Printing Method** Monochrome Laser Beam Printing **Print Speed** A4 33 ppm Letter 34 ppm 2-sided 28 ppm (A4) / 29 ppm (Letter) **Print Resolution** 600 x 600 dpi Print Quality with Image 1,200 x 1,200 dpi (equivalent) **Refinement Technology** Warm-Up Time (From Power On) 14 sec or less First Print Out Time (FPOT) (approx.) A4 5.5 sec Letter 5.4 sec

Recovery Time (From Sleep Mode)	4.0 sec or less
Print Language	UFR II, PCL 6
Auto Duplex Print	Standard
Print Margins	Top/Bottom/Left/Right margin: 5 mm Top/Bottom/Left/Right margin: 10 mm (Envelope)
Paper Handling Paper Input (based on 80 g/m²)	
Standard Cassette	250 sheets
Multi-Purpose Tray	100 sheets
Optional Paper Feeder	550 sheets
Maximum Paper Input Capacity	900 sheets
Paper Output	150 sheets
Paper Sizes	
Standard Cassette / Optional Paper Feeder	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (min. 105.0 x 148.0 mm to max. 216.0 x 355.6 mm)
Multi-Purpose Tray	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card, Envelope (COM10, Monarch, C5, DL) Custom (min. 76.2 x 127.0 mm to max. 216.0 x 355.6 mm)
Available Paper Size for Auto Duplex Print	A4, Letter, Legal, Foolscap, Indian Legal
Paper Types	Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope
Paper Weight	
Standard Cassette / Optional Paper Feeder	60 to 120 g/m ²
Multi-Purpose Tray	60 to 163 g/m²
Connectivity & Softwa Standard Interfaces	are
Wired	USB 2.0 High Speed, 10Base- T/100Base-TX/1000Base-T
Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS, Direct Connection)

Pv6) 5, POF (P, (4), S, /128 A2- 1ode:
5, POF 2P, 4), 5, 5, /128 A2-
S, /128 A2-
S, /128 A2-
/128 A2-
/128 A2-
A2-
Print pria®
2
/
n)
) Hz

High	Cartridge 057H: 10,000 pages
Monthly Duty Cycle ^{*3}	80,000 pages
Optional Accessories	^
Paper Feeder	Cassette Feeding Unit-AH1 (550 sheets)
	vs, Windows Server, Mac OS and Linux https://asia.canon website when
2. Toner cartridge yield is in acco	ordance with ISO/IEC 19752.
3. Monthly Duty Cycle value pro	ovides a means of comparison for
product robustness in relation	n to other Canon laser printer devices,
and does not refer to actual m	naximum image output per month.
 Please refer to individual cou sales offices for product availabil 	ntry / region websites and respective ity.
 Specifications, availability and notice. 	d terms of offers may change without
	nanufactured by and/or supplied to us appliers for distribution / resale (non-

Copyright © 2023 Canon Singapore Pte. Ltd. All rights reserved.